

# RT Holland Wire Mesh Fence



PERIMETER FENCING SYSTEM



## Description

RT Holland Wire Mesh, also known as wave mesh, European fence, or wave fence, is a kind of welded wire mesh. Made of black low-carbon steel wire or galvanized wire, the surface can be sprayed with PVC PE or PP powder to form black, green, and another color of wire mesh, with a smooth appearance, excellent corrosion resistance, anti-oxidation, and other advantages.

## Applications



Residential garden



Animal enclosures



Commercial properties

## Surface Treatment



Hot Dipped Galvanized



PVC Coated



# RT Holland Wire Mesh Fence

PERIMETER FENCING SYSTEM

## Product Technical Information

<b>Material</b>	High quality steel wire, stainless steel wire, low carbon steel wire	
<b>Roll Width</b>	<b>10m, 25m, 30m, 50m, 100m</b> <i>Customized widths available</i>	
<b>Roll Height</b>	<b>1,000 mm / 39.37 in    1,200 mm / 47.25 in</b> <b>1,500 mm / 59.06 in    1,800 mm / 70.87 in</b> <b>2,000 mm / 78.74 in</b> <i>Customized heights available</i>	
<b>Color</b>	RAL 6005 Moss Green, RAL 6010 Grass Green <i>Customized RAL color available</i>	
<b>Surface Treatment</b>	Electric galvanized, hot-dipped galvanized, pvc coated	
<b>Wire Diameter (pre-coating/pvc-coating)</b>	<b>Mesh of Aperture</b>	
	<b>Inch</b>	<b>MM</b>
2.5mm/3.0mm	4" × 4"	101.6mm × 101.6mm
2.5mm/3.0mm	4" × 3"	101.6mm × 75mm
2.0mm/2.5mm	4" × 2"	101.6mm × 50.8mm
1.9mm/2.4mm	3" × 2"	75mm × 50.8mm
1.9mm/2.4mm	2" × 2"	50.8mm × 50.8mm
1.9mm/2.4mm	2" × 1"	50.8mm × 25.4mm

## Post Type

### 01 Swallowtail Post




Swallowtail Post Specification	
<b>Post OD.</b>	Φ48, Φ60
<b>Thickness</b>	1.5mm, 2.0mm
<b>Surface Treatment</b>	Galvanized or powder coated or pvc ocated
<b>Length</b>	On the basis of roll height

# RT Holland Wire Mesh Fence

## PERIMETER FENCING SYSTEM

### 02 Round Post



Round Post Specification	
Post OD.	Φ48, Φ60
Thickness	1.5mm, 2.0mm
Surface Treatment	Galvanized or powder coated or pvc ocated
Length	On the basis of roll height

## Fence Feature

- **High-Strength Protection:** Unique wave-shaped structure enhances flexibility and deformation resistance.
- **Corrosion Resistance & Long Service Life:** Service life up to 15-20 years, suitable for harsh outdoor environments.
- **Cost-Effective Solution:** Optimized for deployment across variable terrain profiles with minimal grading requirements.
- **Easy Installation:** Snap-on fixation saves installation time.
- **Aesthetic & Transparent Design:** Mesh pattern maintains visibility, optional PVC coating colors enhance visual appeal



Installation must comply with BS 1722-14 standards to ensure proper implementation and safety. Our commitment to environmental responsibility is reflected in our product design: all materials used are fully recyclable, and the entire manufacturing process is powered exclusively by certified green energy sources. For additional information or technical support, please contact us at [support@rongtaimetal.com](mailto:support@rongtaimetal.com).